To:01215712738300 10/03/2009 17:20 #412 P.004/022

Defeted: 080826B - 0002311USU -2279 - Claima Presented By Amendment 2.doc

From: Soroker-Agmon

.... 66

Deleted: the

Deleted: the elements of

1. (currently amended) A system for optimizing a performance of an operating c least one aerial vehicle during at least one close-in air combat the system comprising; an assessment information database implemented on at least one computer; and an assessment and guidance software application implemented on the at least on computer for providing in real-time automatic situation assessment, genera dynamically at least one indication related to the at least one close-in air communicating the at least one indication as guidance to the operating crealeast one aerial vehicle, wherein said automatic situation assessment relate situation of a dog fight air combat between two aircraft vehicles.

2. (Currently amended) The system as claimed in claim 1 wherein the assessment information database comprises:

an aircraft characteristics file comprising an aircraft flight envelope, aircraft ma
energy graphs, models and limitations, and aircraft weapon system charact
a set of formulas for an optimal relative maneuvering file; and
an external information file.

Deleted: the elements of

Deleted: the elements of

Deleted: the

Deleted: the

Deleted: the

Defeted: the

Deleted: the

Deleted: the

3. (Currently amended) The system as claimed in claim 1 further comprises at le computer installed on the at least one aerial vehicle or on at least one ground station t store, process and forward data specific for optimization of a conduct of an at least on engagement.

4. (currently amended) The system as claimed in claim 1 further comprising at 1 off-board computer installed in at least one ground station to provide additional data s for optimization of a conduct of the at least one close-in air combat.

Deleted: the sensor device in:

Deleted: the participant elements of

5. (Currently amended) The system as claimed in claim 1 further comprising at sensor device installed on the at least one aerial vehicle to dynamically monitor physically variables associated with aircraft vehicles participating in the at least one close-in air

To: 01215712738300

10/03/2009 17:21

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amend

From: Soroker-Agmon

.... 66

Deleted: the

Deleted: he participant elements of

6. (Currently amended) The system as claimed in claim 1 further comprising at 1 sensor device installed in an at least one ground station to monitor physical variables with t aircraft vehicles participating in the at least one close-in air combat.

Deleted: the Deleted: the Deleted: the

7. (Currently amended) The system as claimed in claim 1 further comprising at 1 data communication network linking the at least one aerial vehicle and an at least one station to allow for transmission or reception of information associated with the at lea close-in air combat.

Deleted: the clements of

Formatted: Font: 13 pt. Complex

Script Font: 13 pt

Deleted: the requested

Deleted: the Deleted: system

Deleted: an information-marshall

module to organize the information received from various sources;

Deleted: the

Deleted: current Deleted: aerial engagement

Deleted: the

Deleted: the

8. (Currently amended) The system as claimed in claim 1 wherein the assessmen guidance software application comprises:

an application control module to initiate, to activate, to control and to execute th assessment and guidance software application;

a database interface module to allow for access the assessment information datal to obtain records from the assessment information database;

a parameters processor module to handle operational parameters of the aircraft v

a situation analyzer and mapping module to analyze at least one situation concer at least one close-in air combat; and

a response assessment and response selector module to generate or select at leas response associated with an at least one current situation and an at least on situation.

Deleted: any one of the elements of

9. (Currently amended) The system as claimed in claim 8 wherein the assessmen guidance software application further comprises:

a future situations projector and mapping module to create at least one potential situation and associating the at least one potential future situation with the one current situation;

10/03/2009 17:21

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amer Deleted: a post-combat debriefing a guidance generator module to convert at least one selected response to at least Deleted: the guidance instruction; Deleted: a guidance display module to communicate at least one guidance instruction to t Deleted: the operating crew; an aircraft status and system status monitor; a learning and adaptation module; a history generator and history replay module; Deleted: an air combat formulas o a set of rules module or algorithm; a testing/maintenance/initialization module; and a user interface module.

From: Soroker-Agmon

Deleted: the

Deleted: the

Deleted: the

Deleted: the

Deleted: the

Deleted: the diverse

Deleted: required

10. (Currently amended) The system as claimed in claim 1 wherein the at least of computer further comprises the elements of:

a communication device to link the at least one computer to remote information via an at least one data communication network;

a processor device to execute a sequence of software instructions embedded in t assessment and guidance software application;

digital signal processor device to process digitally formatted information from a one sensor device and from an at least one data communication network; a a data bus device to provide at least one data delivery channel among devices in an at least one on-board device.

- 11. (original) The system of claim 10 further comprising a sound synthesizing d generate audio instructions to be communicated to the operating crew of the least one vehicle.
- 12. (Currently amended) The system as claimed in claim 8 wherein the assessment guidance software application further comprises any one of the elements of:



Deleted: 080826B - 0002311USU -Deleted: the Deleted: the Deteted: the Deleted: the

Deleted: the

an operating system to supervise and control execution of programs installed in least one computer;

To:01215712738300

a data link handler component to initiate transmission of outgoing information a receive incoming information from an at least one data communication net an input/output handler component to supervise and control peripheral devices l the at least one computer;

a database handler component to initiate access to the assessment information_d:

13. (original) The system as claimed in claim 11 wherein the sensor device is an instrument providing an indication as to parameters of flight.

14. (original) The system as claimed in claim 11 wherein the sensor device is a ! positioning system device.

15. (cancelled)

16. (original) The system as claimed in claim 1 wherein the at least one aerial $v_{\rm C}$ an unmanned combat aerial vehicle.

17. (cancelled)

- 18. (original) The system as claimed in claim 1 wherein the operating crew is a 1 located operator.
- 19. (original) The system of claim 3 wherein the at least one computer is an onb computer located within the at least one aerial vehicle.



To:01215712738300

From: Soroker-Agmon

10/03/2009 17:24 #412 P.008/022

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amendment 2 doc 66.

Deleted: the element of

Deleted: the

20. (Currently amended) The system as claimed in claim 1 further comprises a vidisplay device to communicate an at least one instruction to the operating crew in a vimanner.

Deleted: the element of

Deleted: the

21. (Currently amended) The system as claimed in claim 1 further comprises an output device to communicate an at least one instruction to the operating crew in an a manner.

Deleted: the element of

22. (Currently amended) The system as claimed in claim 1 further comprises a r input device to communicate control information from the operating crew to the syste

23 - 26. (cancelled)

Deleted: the

27. (Currently amended) A method for optimizing a performance of an operating at least one aerial vehicle during at least one close-in air combat by providing in real-automatic situation assessment data and by generating dynamically at least one instruction by communicating the at least one instruction as guidance to the operating crew of the one aerial vehicle, the method comprising the steps of:

for each one of at least two aerial vehicles:

Deleted: the

obtaining air combat engagement and energy information required for analysis c combat situation;

Deleted: the

obtaining aircraft characteristics information required for the analysis of air comsituation;

obtaining aircraft weapon system characteristics information; and obtaining remotely sensor-specific information;

Deleted: the

analyzing the situation between the at least two aerial vehicles and mapping the situation in relation to previously analyzed situations between the at least t vehicles;

... 66

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amendmen

Deleted: generating at least one future potential air combat situation based on the at least one mapped air combat situation:

Deleted: at least one optimal future

determining at least one optimal state of the at least one aerial vehicle based on a least one optimal air combat situation between the at least two aerial vehicle generating at least one recommendation concerning a preferred maneuvering of least one aerial vehicle based on the analyzed situation between the at least aerial vehicles, aircraft characteristics and aircraft weapon system characteristics information.

28. (Currently amended) The method as claimed in claim 27 further comprises t of:

transforming the at least one recommendation into at least one guidance indicate displaying the at, least one guidance indicator to the operating crew of the at least one aerial vehicle to enable an application of associated commands to the contagrial vehicle.

Deleted: the

Deleted: the

Deleted: the

Deleted: the

29. (Currently amended) The method as claimed in claim 27 further comprises transforming the at least one recommendation into at least one direct input commands automatically applied to suitable controls of the at least one-aerial vehicle.

30. (Currently amended) An apparatus for optimizing the performance of an ope crew of at least one aerial vehicle during at least one close-in air combat by providing time automatic situation assessment, the apparatus comprising:

a device for: obtaining air combat engagement and energy information required analysis of the air combat situation;

obtaining aircraft characteristics information required for the analysis of the air situation;

obtaining aircraft weapon system characteristics information; and obtaining remotely sensor-specific information; an analysis device for:

From: Soroker-Agmon To:01215712738300 10/03/2009 17:35 #412 P.010/022

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amendment --_ &&

analyzing the situation between the at least two aerial vehicles and mapping the situation in relation to the previously analyzed situations between at least t vehicles;

Deleted: generating at least one future potential air combat situation based on the at least one mapped air combat situation: §

based on the analysis determine at least one optimal state of the at least one aeri: based on the at least one optimal air combat situation between the at least t vehicles; and

generating at least one recommendation based on the at least one optimal future air combat situation between the at least two aerial vehicles.

Deleted: the

31. (original) The apparatus as claimed in claim 30 further comprises:

a transforming device for transforming at least one recommendation into at least guidance indicator; a display device for displaying the at least one guidanc indicator to the operating crew of the at least one aerial vehicle to enable the application of the associated commands to the controls of the aerial vehicle

32. (original) The apparatus as claimed in claim 30 further comprises a transform device for transforming the at least one recommendation into at least one direct input commands to be automatically applied to suitable controls of the at least one aerial ve

Deleted: the

33. (Previously added) The system as claimed in claim 1, further comprising an identifying element for identifying the <u>aerial vehicle</u>.

Deleted: aircraft

34. (Previously added) The system as claimed in claim 1, wherein the assessment guidance software application provides accurate speed and direction guidance.

Deleted: the

35. (Currently amended) The system as claimed in claim 1, wherein the assessm guidance software application provides guidance according to a flight path of an adve aircraft.

From: Soroker-Agmon

To:01215712738300

10/03/2009 17:36

#412 P.011/022

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amendment 2.doc

-._XW

36. (Previously added) The system as claimed in claim 1, wherein at least a port situation assessment is a function of ammunition data.

